Acer syriacum

(Syrian maple)

Syrian maple is reaching 8 m tall. The leaves are semievergreen to evergreen. If fall color develops, it ranges from yellow to pink. White to yellow flowers are produced from February to March and the tree develops samara fruit. It is also native to Syria, Cyprus, and Palestine (Mouterde, 1966). The species grows in the thermo-Mediterranean zone in Lebanon (0 to 500 m altitude). It is reported to be indifferent to soil type but is mainly found in calcareous soils (Anonymous, 1999).



Plant Image

Landscape Information

French Name: Érable Arabic Name: قيقب سوري

Pronounciation: AY-ser seer-ee-AK-um

Plant Type: Tree

Heat Zones: 7, 8, 9, 10

Hardiness Zones: 7, 8, 9, 10

Uses: Wildlife, Native to Lebanon

Size/Shape

Growth Rate: Moderate **Tree Shape:** Columnar

Canopy Symmetry: Symmetrical

Canopy Density: Medium
Canopy Texture: Medium
Height at Maturity: 3 to 5 m

Spread at Maturity: 1.5 to 3 meters **Time to Ultimate Height:** 5 to 10 Years

Acer syriacum

(Syrian maple)



Flower Image

Botanical Description

Foliage

Leaf Arrangement: Opposite Leaf Venation: Palmate Leaf Persistance: Evergreen

Leaf Blade: 5 - 10 cm
Leaf Shape: Ovate
Leaf Margins: Entire
Leaf Scent: No Fragance

Color(growing season): Green

Color(changing season): Green, Yellow

Flower

Flower Size Range: 0 - 1.5 Flower Type: Raceme

Flower Sexuality: Monoecious (Bisexual)

Flower Scent: No Fragance

Flower Color: Green Seasons: Spring

Trunk

Trunk Susceptibility to Breakage: Generally

resists breakage

Number of Trunks: Single Trunk
Trunk Esthetic Values: Smooth

Fruit

Fruit Type: Samara
Fruit Size Range: 1.5 - 3
Fruit Colors: Green

Seasons: Spring

Acer syriacum

(Syrian maple)



Leaf Image

Horticulture Management

Tolerance

Frost Tolerant: Yes
Heat Tolerant: No
Drought Tolerant: Yes
Salt Tolerance: Poor

Requirements

Soil Requirements: Clay, Loam

Soil Ph Requirements: Acidic, Neutral, Alkaline

Water Requirements: Low Light Requirements: Full, Part

Management

Toxity: No

Invasive Potential: No

Susceptibility to Pests and Diseases: No Pruning Requirement: Little needed, to

develop a strong structure

Fruit/ Leaves/ Flowers litter: No

Surface Rooting: No Life Span: More than 50

Edible Parts:

Plant Propagations: Cutting

MORE IMAGES



Fruit Image



Bark Image