Fragaria x ananassa

(Garden Strawberry, Strawberry)

Fragaria x ananassa is of Hybrid Origin, it is known as straberry. For it to survive it needs full sun, acidic to nuetral loam soil. It is known for its red fruit and is commonly used in edible landscape.

Plant Image

Landscape Information

Arabic Name: الفريز أو التوت الأرضى

Plant Type: Groundcover

Origin: Hybrid Origin

Heat Zones: 1, 2, 3, 4, 5, 6, 7, 8, 9

Hardiness Zones: 4, 5, 6, 7, 8, 9, 10

Uses: Container, Edible

Size/Shape

Growth Rate: Moderate

Tree Shape:

Height at Maturity: Less than 0.5 m

Spread at Maturity: Less than 50 cm

Time to Ultimate Height: 1 to 2 Years

Fragaria x ananassa

(Garden Strawberry, Strawberry)

Flower Image

Botanical Description

Foliage

Leaf Arrangement: Alternate
Leaf Venation: Pinnate
Leaf Persistance: Deciduous
Leaf Type: Trifoliate
Leaf Blade: 5 - 10 cm
Leaf Shape: Obovate
Leaf Margins: Serrate
Leaf Textures: Medium
Leaf Scent: No Fragance
Color(growing season): Green
Color(changing season): Green

Flower

Flower Showiness: True
Flower Size Range: 1.5 - 3
Flower Type: Cyme
Flower Sexuality: Monoecious (Bisexual)
Flower Scent: No Fragance
Flower Color: White
Seasons: Spring, Summer

Fruit

Fruit Type: Aggregate
Fruit Showiness: True
Fruit Size Range: 3 - 7
Fruit Colors: Red
Seasons: Spring, Summer

Fragaria x ananassa

(Garden Strawberry, Strawberry)

Leaf Image

Horticulture Management

Tolerance
Frost Tolerant: Yes
Heat Tolerant: No
Drought Tolerant: No
Salt Tolerance: Poor

Requirements
Soil Requirements: Loam
Soil Ph Requirements: Acidic, Neutral
Water Requirements: Moderate
Light Requirements: Full

Management
Toxity: No
Invasive Potential: No
Susceptibility to Pests and Diseases: Yes
Pruning Requirement: No pruning at all
Fruit/ Leaves/ Flowers litter: No
Surface Rooting: No
Life Span: Less than 25
Diseases: Powdery Mildew, Downey Mildew, Leaf Spots, Blights, Antracnose, Botrytis
Edible Parts: Fruit
Pests: Mites, Caterpillars, Flies
Plant Propagations: Offset

MORE IMAGES

Fruit Image