Prunus armeniaca 'Nana'

(Dwarf Apricot)

Apricote is originated from China and introduced to Europe via Armenia since 2000 years. The tree is medium is size with a roundish canopy, oval serretated leaves and red leaf stems. The flowers are almost the first one in the spring. Most culivars dont need cross pollination. The tree needs a minimum of 300 chilling hours. They do best in full sun and mildly acidic to mildly alkaline soil.



Plant Image

Landscape Information

French Name: Abricotier nain Arabic Name: مشمش قزم Pronounciation: PROO-nus ar-men-ee-AH-kuh NAN-uh Plant Type: Tree Origin: China Heat Zones: 1, 2, 3, 4, 5, 6, 7, 8, 9 Hardiness Zones: 4, 5, 6, 7, 8, 9 Uses: Espalier, Specimen, Shade, Edible

Size/Shape

Growth Rate: Moderate Tree Shape: Round Canopy Symmetry: Symmetrical Canopy Density: Medium Canopy Texture: Medium Height at Maturity: 8 to 15 m Spread at Maturity: 8 to 10 meters Time to Ultimate Height: 10 to 20 Years

Prunus armeniaca 'Nana'

(Dwarf Apricot)



Flower Image

Botanical Description

Foliage

Leaf Arrangement: Alternate Leaf Venation: Pinnate Leaf Persistance: Deciduous Leaf Type: Simple Leaf Blade: 5 - 10 cm Leaf Shape: Ovate Leaf Margins: Crenate, Serrate Leaf Textures: Glossy Leaf Scent: No Fragance Color(growing season): Green Color(changing season): Yellow

Flower

Flower Showiness: True Flower Size Range: 1.5 - 3 Flower Type: Raceme Flower Sexuality: Monoecious (Bisexual) Flower Scent: Pleasant Flower Color: White Seasons: Spring

Trunk

Trunk Susceptibility to Breakage: Suspected to breakage Number of Trunks: Single Trunk Trunk Esthetic Values: Smooth Fruit Fruit Type: Drupe Fruit Showiness: True

Fruit Size Range: 3 - 7 Fruit Colors: Orange Seasons: Spring

Prunus armeniaca 'Nana'

(Dwarf Apricot)



Leaf Image

Horticulture Management

Tolerance Frost Tolerant: Yes Heat Tolerant: No Drought Tolerant: Yes Salt Tolerance: Poor

Requirements

Soil Requirements: Soil Ph Requirements: Water Requirements: Light Requirements:

Management

Toxity: No Invasive Potential: No Susceptibility to Pests and Diseases: Yes Pruning Requirement: Little needed, to develop a strong structure Fruit/ Leaves/ Flowers litter: Yes Surface Rooting: No Life Span: 25-50 years Diseases: Powdery Mildew, Canker, Blights, Wilts, Root rot Edible Parts: Fruit Pests: Mites, Caterpillars, Borers Plant Propagations: Cutting, Grafting

MORE IMAGES



Fruit Image



Bark Image



Other Image