Acer palmatum 'Atropurpureum'

(Japanese Maple)

Japanese maple is a middle size, low branching deciduous tree with outstanding leaf color in fall. The leaves are deeply lobbed with red color. In mid spring small cluster of flowers appear followed by red winged fruit. Japanese maple is excellent in any garden with any size even as a balcony plant in pots.



Plant Image

Landscape Information

French Name: érable japonais

Arabic Name: ابانیقیقب ی

Pronounciation: AY-ser pal-MAY-tum

Plant Type: Tree
Origin: Japan, Korea

Heat Zones: 2, 3, 4, 5, 6, 7, 8 **Hardiness Zones:** 6, 7, 8, 9

Uses: Topiary, Bonsai, Specimen, Container

Size/Shape

Growth Rate: Slow Tree Shape: Round

Canopy Symmetry: Irregular
Canopy Density: Medium
Canopy Texture: Medium
Height at Maturity: 5 to 8 m

Spread at Maturity: 5 to 8 meters

Time to Ultimate Height: 10 to 20 Years

Acer palmatum 'Atropurpureum'

(Japanese Maple)



Leaf Image

Botanical Description

Foliage

Leaf Arrangement: Opposite **Leaf Venation:** Palmate

Leaf Persistance: Deciduous

Leaf Type: Simple
Leaf Blade: 5 - 10 cm
Leaf Shape: Star
Leaf Margins: Serrate
Leaf Textures: Fine
Leaf Scent: No Fragance
Color(growing season): Red
Color(changing season): Yellow

Flower

Flower Showiness: False

Trunk

Trunk Susceptibility to Breakage: Generally

resists breakage

Number of Trunks: Multi-Trunked

Trunk Esthetic Values: Showy, Smooth

Fruit

Fruit Type: Samara
Fruit Showiness: True
Fruit Size Range: 1.5 - 3

Fruit Colors: Red

Acer palmatum 'Atropurpureum'

(Japanese Maple)



Fruit Image

Horticulture Management

Tolerance

Frost Tolerant: Yes Heat Tolerant: No Drought Tolerant: No Salt Tolerance: Moderate

Requirements

Soil Requirements: Clay, Loam, Sand Soil Ph Requirements: Acidic, Neutral Water Requirements: Moderate Light Requirements: Part, Shade

Management

Toxity: No

Invasive Potential: No

Susceptibility to Pests and Diseases: No **Pruning Requirement:** Little needed, to

develop a strong structure

Fruit/ Leaves/ Flowers litter: Yes

Surface Rooting: No Life Span: 25-50 years Diseases: Leaf Spots Edible Parts: None

Pests: Scales, Aphids, Borers

Plant Propagations: Cutting, Grafting

MORE IMAGES



Bark Image Other Image