

Pandorea jasminoides

(Bower Vine)

Bower vine is native to Australia. It is a twining climber with glossy evergreen leaves and beautiful flowers. The large flowers are produced in the summer and are trumpet-shaped. The plant grows well in sunny or partial sunny location. It can not take any frost. In colder climate it can be planted in container and protected during winter time.



Plant Image

Landscape Information

Pronunciation: pan-DOH-ree-uh jaz-min-OY-deez
Plant Type: Vine
Origin: Australia
Heat Zones: 8, 9, 10, 11, 12
Hardiness Zones: 9, 10, 11
Uses: Bonsai, Espalier, Container, Reclamation, Trellis
Size/Shape
Growth Rate: Fast
Tree Shape: Upright
Canopy Symmetry: Irregular
Canopy Density: Open
Canopy Texture: Medium
Height at Maturity: 5 to 8 m
Time to Ultimate Height: 5 to 10 Years

Pandorea jasminoides

(Bower Vine)



Flower Image

Botanical Description

Foliage

Leaf Arrangement: Opposite
Leaf Venation: Pinnate
Leaf Persistence: Evergreen
Leaf Type: Odd Pinnately compound
Leaf Blade: 5 - 10 cm
Leaf Shape: Lanceolate
Leaf Margins: Entire
Leaf Textures: Glossy
Leaf Scent: No Fragrance
Color(growing season): Green
Color(changing season): Green

Flower

Flower Showiness: True
Flower Size Range: 3 - 7
Flower Type: Solitary
Flower Sexuality: Monoecious (Bisexual)
Flower Scent: No Fragrance
Flower Color: White, Pink
Seasons: Summer

Trunk

Trunk Susceptibility to Breakage: Generally resists breakage
Number of Trunks: Multi-Trunked
Trunk Esthetic Values: Not Showy

Fruit

Fruit Type: Capsule
Fruit Showiness: True
Fruit Size Range: 7 - 10
Fruit Colors: Green
Seasons: Summer

Pandorea jasminoides

(Bower Vine)



Leaf Image

Horticulture Management

Tolerance

Frost Tolerant: No

Heat Tolerant: Yes

Drought Tolerant: No

Salt Tolerance: Poor

Requirements

Soil Requirements: Loam, Sand

Soil Ph Requirements: Acidic, Neutral, Alkaline

Water Requirements: Moderate

Light Requirements: Full, Part

Management

Toxity: No

Invasive Potential: No

Susceptibility to Pests and Diseases: No

Pruning Requirement: Little needed, to develop a strong structure

Fruit/ Leaves/ Flowers litter: No

Surface Rooting: No

Edible Parts: None

Plant Propagations: Cutting, Layering

MORE IMAGES



Fruit Image



Other Image