## Ceratostigma plumbaginoides

### (Leadwort, Hardy Blue Plumbago, blue ceratostigma)

Ceratostigma can be evergreen or deciduous shrubs or herbaceous perennials, with simple leaves which usually color well in autumn, and short terminal or axillary spikes of salver-shaped blue flowers in late summer and autumn. All parts of the plant are poisonous if ingested, handling plant may cause skin irritation or allergic reaction.



### Landscape Information

Plant Type: Groundcover Origin: Western China Heat Zones: Hardiness Zones: 6, 7, 8, 9 Uses: Border Plant, Ground cover, Rock Garden

### Size/Shape

Tree Shape: Round Height at Maturity: Less than 0.5 m Spread at Maturity: Less than 50 cm Time to Ultimate Height: 2 to 5 Years

Plant Image

# Ceratostigma plumbaginoides

(Leadwort, Hardy Blue Plumbago, blue ceratostigma)



#### **Botanical Description**

Foliage Leaf Persistance: Semi Evergreen Leaf Blade: Less than 5 Leaf Shape: Oval Leaf Textures: Glossy Leaf Scent: Color(growing season): Green Color(changing season): Green Color(changing season): Red, Purple Flower Flower Flower Showiness: True Flower Color: Blue Seasons: Summer, Fall

Flower Image

## Ceratostigma plumbaginoides

(Leadwort, Hardy Blue Plumbago, blue ceratostigma)



### Horticulture Management

Tolerance Drought Tolerant: Yes Requirements Soil Requirements: Clay, Loam, Sand Soil Ph Requirements: Acidic, Neutral, Alkaline Water Requirements: Moderate Light Requirements: Full, Part Management

Edible Parts: Plant Propagations: Cutting, Rhizomes

Leaf Image

### **MORE IMAGES**



Other Image