

Dianthus barbatus

(Barbarini™ Rose Sweet William, Sweet William)

Dianthus barbatus are of Hybrid Origin, Southern Europeorigin. They aregrown in a nuetral-alkaline enivornment in loam-sandy soil. They need full sunlight and a moderate amount of water.

The plant grows fast, its leaves grow opposite to each other and a lanceolate shape. The flowers bloom in spring and sumer and are pink in color.

Sweet William is used as a bedding plant, container, cutflower, edging, mixed border, rock garden /wall, and it attarcts butterflies.



Plant Image

Landscape Information

Plant Type:	Groundcover
Origin:	Hybrid Origin, Southern Europe
Heat Zones:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16
Hardiness Zones:	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Uses:	Mass Planting, Container, Cut Flowers / Arrangements, Reclamation, Ground cover
Size/Shape	
Growth Rate:	Fast
Tree Shape:	
Height at Maturity:	Less than 0.5 m
Spread at Maturity:	Less than 50 cm

Dianthus barbatus

(Barbarini™ Rose Sweet William, Sweet William)



Flower Image

Botanical Description

Foliage

- Leaf Arrangement: Alternate
- Leaf Venation: Pinnate
- Leaf Persistence: Semi Evergreen
- Leaf Type: Simple
- Leaf Shape: Lanceolate
- Leaf Margins: Entire
- Leaf Scent: No Fragrance
- Color(growing season): Green

Flower

- Flower Showiness: True
- Flower Size Range: 7 - 10
- Flower Scent: No Fragrance
- Flower Color: Red, Purple, Pink
- Seasons: Spring, Summer

Fruit

- Seasons: Spring, Summer

Dianthus barbatus

(Barbarini™ Rose Sweet William, Sweet William)



Bark Image

Horticulture Management

Tolerance

Frost Tolerant: Yes

Heat Tolerant: Yes

Drought Tolerant: No

Salt Tolerance: Poor

Requirements

Soil Requirements: Loam, Sand

Soil Ph Requirements: Neutral, Alkaline

Water Requirements: Moderate

Light Requirements: Full, Part

Management

Diseases: Powdery Mildew, Rusts, Botrytis

Edible Parts: None

Pests: Mites, Aphids, Snail

Plant Propagations: Seed
